ELSEVIER

Journal of Statistical Planning and Inference 90 (2000) 349–350

journal of statistical planning and inference

www.elsevier.com/locate/jspi

# Author Index Volume 90 (2000)*


| | | |
|---|---|---|
| Arellano-Valle, R.B., *see* M. Branco | (1) | 69– 85 |
| Bairamov, I.G. and S.N. Eryılmaz, Distributional properties of statistics based on minimal spacing and record exceedance statistics | (1) | 21– 33 |
| Banerjee, S., A.E. Gelfand and W. Polasek, Geostatistical modelling for spatial interaction data with application to postal service performance | (1) | 87–105 |
| Blaker, H., Minimax estimation in linear regression under restrictions | (1) | 35– 55 |
| Bolfarine, H., *see* M. Branco | (1) | 69– 85 |
| Branco, M., H. Bolfarine, P. Iglesias and R.B. Arellano-Valle, Bayesian analysis of the calibration problem under elliptical distributions | (1) | 69– 85 |
| Chua, T.C. and A.K. Tsui, Procuring honest responses indirectly | (1) | 107–116 |
| Dembińska, A. and J. Wesołowski, Linearity of regression for non-adjacent record values | (2) | 195–205 |
| Erkanli, A. and R. Soyer, Simulation-based designs for accelerated life tests | (2) | 335–348 |
| Eryılmaz, S.N., *see* I.G. Bairamov | (1) | 21– 33 |
| Fuentes, M., Predicting integrals of diffusion processes | (2) | 183–193 |
| Gabler, S., H. Stenger and X. Mannheim, Minimax strategies in survey sampling | (2) | 305–321 |
| Ganju, J., On choosing between fixed and random block effects in some no-interaction models | (2) | 323–334 |
| Gelfand, A.E., *see* S. Banerjee | (1) | 87–105 |
| Gürtler, N. and N. Henze, Recent and classical goodness-of-fit tests for the Poisson distribution | (2) | 207–225 |
| Henze, N., *see* N. Gürtler | (2) | 207–225 |
| Hurd, S.P. and D.G. Sarvate, On $c$-Bhaskar Rao designs | (1) | 161–175 |
| Iglesias, P., *see* M. Branco | (1) | 69– 85 |
| Kundu, D., Estimating the number of signals in the presence of white noise | (1) | 57– 68 |
| Letac, G., Stationary sequences with simple joint Poisson distributions | (1) | 1– 20 |
| Li, W., *see* K.Q. Ye | (1) | 145–159 |
| Louani, D., Large deviations for the $L_1$-distance in kernel density estimation | (2) | 177–182 |
| Mannheim, X., *see* S. Gabler | (2) | 305–321 |
| Padmawar, V.R. and K. Vijayan, Randomized response revisited | (2) | 293–304 |
| Pensky, M., Adaptive wavelet empirical Bayes estimation of a location or a scale parameter | (2) | 275–292 |
| Polasek, W., *see* S. Banerjee | (1) | 87–105 |
| Rosén, B., On inclusion probabilities for order $\pi$ps sampling | (1) | 117–143 |
| Sarvate, D.G., *see* S.P. Hurd | (1) | 161–175 |
| Shimodaira, H., Improving predictive inference under covariate shift by weighting the log-likelihood function | (2) | 227–244 |
| Soyer, R., *see* A. Erkanli | (2) | 335–348 |
| Stenger, H., *see* S. Gabler | (2) | 305–321 |
| Sudjianto, A., *see* K.Q. Ye | (1) | 145–159 |
| Tsui, A.K., *see* T.C. Chua | (1) | 107–116 |
| van der Linde, A., Reference priors for shrinkage and smoothing parameters | (2) | 245–274 |


*The issue number is given in front of page numbers

Elsevier Science B.V.
PII: S0378-3758(00)00175-0

Vijayan, K., *see* V.R. Padmawar (2) 293–304
Wesołowski, J., *see* A. Dembińska (2) 195–205
Ye, K.Q., W. Li and A. Sudjianto, Algorithmic construction of optimal symmetric Latin hypercube designs (1) 145–159